

Addendum No. 1

Date: **August 30, 2023**

Re: **Playground Equipment – Monarch Elementary School**

IFB No.: **424-19-9-14**

The following information becomes part and parcel of Invitation for Bid (IFB) # 424-19-9-14 effective this date. Firms must acknowledge receipt of this addendum in their solicitation response.

The listed items add to, modify, or otherwise alter the specifications and become part of the solicitation documents. Where a portion of the original specifications are added to, modified, or also altered, the portion not so affected shall remain. Firms may have the right to protest this addendum.

*****Please note there is a REVISED BID FORM attached. Only the REVISED BID FORM should be used.**

***** Additional Specifications are included in this addendum involving a shade structure.**

Inquiries/ District Responses

Before the solicitation inquiry deadline of September 5, 2023, the District received inquiries regarding this solicitation. The District's response to each question follows in **bold** font.

1.)GCSD implemented a program that all new playgrounds are required to have Grassmats or an equal to be installed after the mulch has been installed to provide greater accessibility for the entire playground. Is this a requirement on this project as well?

Yes, vendor is to furnish and install ADA grassmats in both new and existing areas for new or rearranged equipment as necessary.

2.)Will any substitutions of the grassmats have a requirement to have an impact attenuation test showing a minimum critical height of 10' when combined with IPEMA certified playground mulch?



Yes, any grassmat product is required to meet ASTM guidelines for playground surfacing impact attenuation (min 10' critical height) when combined with wood fiber mulch.

3.)GCSD has not required engineered stamped drawings for shades that re incorporated into a structure such as the 3.5" hex shade for the upper deck of existing play structure. In fact, I am not sure that it would be possible to obtain. Is the engineered stamp drawing s a requirement for this shade?

Only the cantilever t-shade structure requires stamped engineered drawings. This is not required for the 3.5" hex shade. (Drawing of shade is attached to this document).

The following shall be provided and installed in the existing playground area:

- One (1) Glockenspiel
- One (1) Bongo Drums
- One (1) 24' x 14' x 8' Cantilever T-Shade Structure to cover new play events
- One (1) 3.5" Hex Shade for upper deck of existing USA Play Structure (specs below)



Existing playground is located in courtyard area in corner of the kindergarten and second grade hallways. New equipment shall be placed in existing area within current borders.

End of Section – Inquiries/District Responses

All other terms and conditions remain unchanged and in force.

Thank you for your interest in the District.

Valarie W. Southerlin
Buyer

**REVISED
BIDDING FORM/SCHEDULE**

Monarch Elementary School Playground Equipment	Price (pre-tax)
Total Price of all Playground Equipment and Installation/Assembly	
Unit Pricing - Double Ground Wood Fiber (Per Square Cubic Yard)	
Delivery upon receipt of PO	

All pricing includes shipping, installation, and any labor associated.

Name: _____ Date: _____

Company Name: _____